

March 12, 2021

Paul Bickel  
East Greenbush Central School District  
29 Englewood Avenue  
East Greenbush, NY 12061

RE: Project: EAST GREENBUSH CSD  
Pace Project No.: 70164870

Dear Paul Bickel:

Enclosed are the analytical results for sample(s) received by the laboratory on March 05, 2021. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Nicolette M. Lovari  
nicolette.lovari@pacelabs.com  
(631)694-3040  
Project Manager

Enclosures

cc: Sam Beardsley, East Greenbush Central School District  
Paul Swieton, Rensselaer-Columbia-Greene Counties and  
BOCES



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## CERTIFICATIONS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

---

### **Pace Analytical Services Long Island**

Delaware Certification # NY10478

Virginia Certification # 460302

Delaware Certification # NY10478

575 Broad Hollow Rd, Melville, NY 11747

New York Certification #: 10478 Primary Accrediting Body

New Jersey Certification #: NY158

Pennsylvania Certification #: 68-00350

Connecticut Certification #: PH-0435

Maryland Certification #: 208

Rhode Island Certification #: LAO00340

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-SF-P-02		Lab ID: 70164870001	Collected: 03/05/21 05:33	Received: 03/05/21 19:03	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>2.0</b>	ug/L	1.0	1		03/11/21 15:13	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-SF-P-03		Lab ID: 70164870002	Collected: 03/05/21 05:34	Received: 03/05/21 19:03	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		03/11/21 15:17	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-BF-P-04		Lab ID: 70164870003	Collected: 03/05/21 05:34	Received: 03/05/21 19:03	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.6	ug/L	1.0	1		03/11/21 15:18	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: GM-01-BF-P-05</b>								
<b>Lab ID: 70164870004</b>								
Collected: 03/05/21 05:35								
Received: 03/05/21 19:03								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	3.6	ug/L	1.0	1		03/11/21 15:19	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-BF-P-06		Lab ID: 70164870005	Collected: 03/05/21 05:36	Received: 03/05/21 19:03	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>11.2</b>	ug/L	1.0	1		03/11/21 15:20	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-SF-P-07		Lab ID: 70164870006	Collected: 03/05/21 05:36	Received: 03/05/21 19:03	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>5.4</b>	ug/L	1.0	1		03/11/21 15:23	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: <b>GM-01-CF-P-09</b>	Lab ID: <b>70164870007</b>	Collected: 03/05/21 05:37	Received: 03/05/21 19:03	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>2.0</b>	ug/L	1.0	1		03/11/21 15:24	7439-92-1	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-CF-P-10		Lab ID: 70164870008	Collected: 03/05/21 05:37	Received: 03/05/21 19:03	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>2.4</b>	ug/L	1.0	1		03/11/21 15:25	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-CF-P-11		Lab ID: 70164870009	Collected: 03/05/21 05:40	Received: 03/05/21 19:03	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.3	ug/L	1.0	1		03/11/21 15:26	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-CF-P-12	Lab ID: 70164870010	Collected: 03/05/21 05:40	Received: 03/05/21 19:03	Matrix: Drinking Water					
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville								
Lead	1.3	ug/L	1.0	1		03/11/21 15:27	7439-92-1		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-CF-P-13		Lab ID: 70164870011	Collected: 03/05/21 05:41	Received: 03/05/21 19:03	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>6.4</b>	ug/L	1.0	1		03/11/21 15:28	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-CF-P-14	Lab ID: 70164870012	Collected: 03/05/21 05:41	Received: 03/05/21 19:03	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.3	ug/L	1.0	1		03/11/21 15:31	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-CF-P-15		Lab ID: 70164870013	Collected: 03/05/21 05:43	Received: 03/05/21 19:03	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		03/11/21 15:32	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-CF-P-16	Lab ID: 70164870014	Collected: 03/05/21 05:43	Received: 03/05/21 19:03	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>4.1</b>	ug/L	1.0	1		03/11/21 15:34	7439-92-1	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-BF-P-17		Lab ID: 70164870015	Collected: 03/05/21 05:45	Received: 03/05/21 19:03	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	5.1	ug/L	1.0	1		03/11/21 15:35	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-CF-P-18	Lab ID: 70164870016	Collected: 03/05/21 05:45	Received: 03/05/21 19:03	Matrix: Drinking Water					
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville								
Lead	<b>3.1</b>	ug/L	1.0	1		03/11/21 15:36	7439-92-1		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-CF-P-19		Lab ID: 70164870017	Collected: 03/05/21 05:46	Received: 03/05/21 19:03	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>2.5</b>	ug/L	1.0	1		03/11/21 15:37	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-CF-P-20		Lab ID: 70164870018	Collected: 03/05/21 05:46	Received: 03/05/21 19:03	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>2.0</b>	ug/L	1.0	1		03/11/21 15:38	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-CF-P-21		Lab ID: 70164870019	Collected: 03/05/21 05:48	Received: 03/05/21 19:03	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>8.6</b>	ug/L	1.0	1		03/11/21 15:39	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: <b>GM-01-CF-P-22</b>	Lab ID: <b>70164870020</b>	Collected: 03/05/21 05:48	Received: 03/05/21 19:03	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>19.4</b>	ug/L	1.0	1		03/11/21 15:40	7439-92-1	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-BF-P-23		Lab ID: 70164870021	Collected: 03/05/21 05:48	Received: 03/05/21 19:03	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.1	ug/L	1.0	1		03/11/21 15:43	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-CF-P-24	Lab ID: 70164870022	Collected: 03/05/21 05:50	Received: 03/05/21 19:03	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>1.9</b>	ug/L	1.0	1		03/11/21 15:48	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: <b>GM-01-DW-P-26</b>	Lab ID: <b>70164870023</b>	Collected: 03/05/21 05:50	Received: 03/05/21 19:03	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>&lt;1.0</b>	ug/L	1.0	1		03/11/21 15:49	7439-92-1	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-CF-P-27		Lab ID: 70164870024	Collected: 03/05/21 05:50	Received: 03/05/21 19:03	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>13.3</b>	ug/L	1.0	1		03/11/21 15:50	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-CF-P-28		Lab ID: 70164870025	Collected: 03/05/21 05:50	Received: 03/05/21 19:03	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>10.4</b>	ug/L	1.0	1		03/11/21 15:51	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: GM-01-DW-P-30</b>								
<b>Lab ID: 70164870026</b>								
Collected: 03/05/21 05:53								
Received: 03/05/21 19:03								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	<1.0	ug/L	1.0	1		03/11/21 15:51	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-CF-P-31		Lab ID: 70164870027	Collected: 03/05/21 05:53	Received: 03/05/21 19:03	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>2.8</b>	ug/L	1.0	1		03/11/21 15:53	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-CF-P-32		Lab ID: 70164870028	Collected: 03/05/21 05:54	Received: 03/05/21 19:03	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>4.1</b>	ug/L	1.0	1		03/11/21 15:53	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: GM-01-DW-P-34</b>								
<b>Lab ID: 70164870029</b>								
Collected: 03/05/21 05:54 Received: 03/05/21 19:03 Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	<1.0	ug/L	1.0	1		03/11/21 15:54	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-CF-P-35	Lab ID: 70164870030	Collected: 03/05/21 05:54	Received: 03/05/21 19:03	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>18.9</b>	ug/L	1.0	1		03/11/21 15:57	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-CF-P-36		Lab ID: 70164870031	Collected: 03/05/21 05:56	Received: 03/05/21 19:03	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>4.1</b>	ug/L	1.0	1		03/11/21 15:58	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-DW-P-38	Lab ID: 70164870032	Collected: 03/05/21 05:56	Received: 03/05/21 19:03	Matrix: Drinking Water					
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville								
Lead	<1.0	ug/L	1.0	1		03/11/21 16:01	7439-92-1		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-CF-P-39	Lab ID: 70164870033	Collected: 03/05/21 05:56	Received: 03/05/21 19:03	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>63.9</b>	ug/L	1.0	1		03/11/21 16:02	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-SF-P-40	Lab ID: 70164870034	Collected: 03/05/21 06:00	Received: 03/05/21 19:03	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>4.5</b>	ug/L	1.0	1		03/11/21 16:03	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-KF-P-41	Lab ID: 70164870035	Collected: 03/05/21 06:02	Received: 03/05/21 19:03	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.1	ug/L	1.0	1		03/11/21 16:04	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-KF-P-42		Lab ID: 70164870036	Collected: 03/05/21 06:02	Received: 03/05/21 19:03	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.6	ug/L	1.0	1		03/11/21 16:05	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: GM-01-KF-P-43</b>								
<b>Lab ID: 70164870037</b>								
Collected: 03/05/21 06:02								
Received: 03/05/21 19:03								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	<b>2.3</b>	ug/L	1.0	1		03/11/21 16:06	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-BF-P-44		Lab ID: 70164870038	Collected: 03/05/21 06:02	Received: 03/05/21 19:03	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>15.5</b>	ug/L	1.0	1		03/11/21 16:09	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-BF-P-47	Lab ID: 70164870039	Collected: 03/05/21 06:05	Received: 03/05/21 19:03	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>2.6</b>	ug/L	1.0	1		03/11/21 16:10	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-BF-P-48		Lab ID: 70164870040	Collected: 03/05/21 06:05	Received: 03/05/21 19:03	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>2.1</b>	ug/L	1.0	1		03/11/21 16:11	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-BF-P-49		Lab ID: 70164870041	Collected: 03/05/21 06:06	Received: 03/05/21 19:03	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>7.9</b>	ug/L	1.0	1		03/11/21 16:13	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: <b>GM-01-BF-P-50</b>	Lab ID: <b>70164870042</b>	Collected: 03/05/21 06:06	Received: 03/05/21 19:03	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>6.1</b>	ug/L	1.0	1		03/11/21 16:16	7439-92-1	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: <b>GM-01-CF-P-51</b>	Lab ID: <b>70164870043</b>	Collected: 03/05/21 06:07	Received: 03/05/21 19:03	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>2.8</b>	ug/L	1.0	1		03/11/21 16:17	7439-92-1	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-SF-P-53		Lab ID: 70164870044	Collected: 03/05/21 06:08	Received: 03/05/21 19:03	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>17.0</b>	ug/L	1.0	1		03/11/21 16:20	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-CF-P-54	Lab ID: 70164870045	Collected: 03/05/21 06:08	Received: 03/05/21 19:03	Matrix: Drinking Water					
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville								
Lead	<b>19.1</b>	ug/L	1.0	1		03/11/21 16:21	7439-92-1		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-CF-P-56		Lab ID: 70164870046	Collected: 03/05/21 06:09	Received: 03/05/21 19:03	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>5.4</b>	ug/L	1.0	1		03/11/21 16:22	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-CF-P-58	Lab ID: 70164870047	Collected: 03/05/21 06:10	Received: 03/05/21 19:03	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>8.3</b>	ug/L	1.0	1		03/11/21 16:23	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-CF-P-60	Lab ID: 70164870048	Collected: 03/05/21 06:11	Received: 03/05/21 19:03	Matrix: Drinking Water					
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville								
Lead	<b>10.5</b>	ug/L	1.0	1		03/11/21 16:24	7439-92-1		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-BF-P-62		Lab ID: 70164870049	Collected: 03/05/21 06:12	Received: 03/05/21 19:03	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.1	ug/L	1.0	1		03/11/21 16:25	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: <b>GM-01-CF-P-63</b>	Lab ID: <b>70164870050</b>	Collected: 03/05/21 06:13	Received: 03/05/21 19:03	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>11.2</b>	ug/L	1.0	1		03/11/21 16:26	7439-92-1	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-CF-P-65		Lab ID: 70164870051	Collected: 03/05/21 06:13	Received: 03/05/21 19:03	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>2.5</b>	ug/L	1.0	1		03/11/21 16:27	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-CF-P-67	Lab ID: 70164870052	Collected: 03/05/21 06:14	Received: 03/05/21 19:03	Matrix: Drinking Water					
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville								
Lead	<b>35.8</b>	ug/L	1.0	1		03/11/21 16:31	7439-92-1		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: GM-01-CF-P-69</b>								
<b>Lab ID: 70164870053</b>								
Collected: 03/05/21 06:15								
Received: 03/05/21 19:03								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	3.2	ug/L	1.0	1		03/11/21 16:32	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-CF-P-71		Lab ID: 70164870054	Collected: 03/05/21 06:15	Received: 03/05/21 19:03	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>13.4</b>	ug/L	1.0	1		03/11/21 16:33	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-CF-P-73		Lab ID: 70164870055	Collected: 03/05/21 06:16	Received: 03/05/21 19:03	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>8.8</b>	ug/L	1.0	1		03/11/21 16:34	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-CF-P-75	Lab ID: 70164870056	Collected: 03/05/21 06:16	Received: 03/05/21 19:03	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>14.9</b>	ug/L	1.0	1		03/11/21 16:35	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-CF-P-77		Lab ID: 70164870057	Collected: 03/05/21 06:16	Received: 03/05/21 19:03	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>4.0</b>	ug/L	1.0	1		03/11/21 16:36	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-CF-P-79		Lab ID: 70164870058	Collected: 03/05/21 06:18	Received: 03/05/21 19:03	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>11.5</b>	ug/L	1.0	1		03/11/21 16:37	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-CF-P-81	Lab ID: 70164870059	Collected: 03/05/21 06:20	Received: 03/05/21 19:03	Matrix: Drinking Water					
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville								
Lead	<b>7.3</b>	ug/L	1.0	1		03/11/21 16:38	7439-92-1		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-CF-P-83		Lab ID: 70164870060	Collected: 03/05/21 06:21	Received: 03/05/21 19:03	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>10.1</b>	ug/L	1.0	1		03/11/21 16:39	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-CF-P-85		Lab ID: 70164870061	Collected: 03/05/21 06:21	Received: 03/05/21 19:03	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>2.0</b>	ug/L	1.0	1		03/11/21 16:44	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-CF-P-87		Lab ID: 70164870062	Collected: 03/05/21 06:22	Received: 03/05/21 19:03	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>4.2</b>	ug/L	1.0	1		03/11/21 16:46	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Sample: GM-01-KF-P-89	Lab ID: 70164870063	Collected: 03/05/21 06:02	Received: 03/05/21 19:03	Matrix: Drinking Water					
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville								
Lead	<b>19.3</b>	ug/L	1.0	1		03/11/21 16:47	7439-92-1		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: EAST GREENBUSH CSD  
Pace Project No.: 70164870

QC Batch:	199794	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville

Associated Lab Samples: 70164870001, 70164870002, 70164870003, 70164870004, 70164870005, 70164870006, 70164870007, 70164870008, 70164870009, 70164870010, 70164870011, 70164870012, 70164870013, 70164870014, 70164870015, 70164870016, 70164870017, 70164870018, 70164870019, 70164870020

METHOD BLANK: 982608 Matrix: Water

Associated Lab Samples: 70164870001, 70164870002, 70164870003, 70164870004, 70164870005, 70164870006, 70164870007, 70164870008, 70164870009, 70164870010, 70164870011, 70164870012, 70164870013, 70164870014, 70164870015, 70164870016, 70164870017, 70164870018, 70164870019, 70164870020

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	03/11/21 15:12	

LABORATORY CONTROL SAMPLE: 982609

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	52.4	105	85-115	

MATRIX SPIKE SAMPLE: 982612

Parameter	Units	70164870001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	2.0	50	58.5	113	70-130	

MATRIX SPIKE SAMPLE: 982614

Parameter	Units	70164870011 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	6.4	50	54.4	96	70-130	

SAMPLE DUPLICATE: 982611

Parameter	Units	70164870001 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	2.0	1.9	1	

SAMPLE DUPLICATE: 982613

Parameter	Units	70164870011 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	6.4	6.5	2	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: EAST GREENBUSH CSD  
Pace Project No.: 70164870

QC Batch:	199795	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville

Associated Lab Samples: 70164870021, 70164870022, 70164870023, 70164870024, 70164870025, 70164870026, 70164870027, 70164870028, 70164870029, 70164870030, 70164870031, 70164870032, 70164870033, 70164870034, 70164870035, 70164870036, 70164870037, 70164870038, 70164870039, 70164870040

METHOD BLANK: 982615 Matrix: Water

Associated Lab Samples: 70164870021, 70164870022, 70164870023, 70164870024, 70164870025, 70164870026, 70164870027, 70164870028, 70164870029, 70164870030, 70164870031, 70164870032, 70164870033, 70164870034, 70164870035, 70164870036, 70164870037, 70164870038, 70164870039, 70164870040

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	03/11/21 15:41	

LABORATORY CONTROL SAMPLE: 982616

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	51.8	104	85-115	

MATRIX SPIKE SAMPLE: 982618

Parameter	Units	70164870021 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	1.1	50	63.0	124	70-130	

MATRIX SPIKE SAMPLE: 982620

Parameter	Units	70164870031 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	4.1	50	63.1	118	70-130	

SAMPLE DUPLICATE: 982617

Parameter	Units	70164870021 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	1.1	1.1	1	

SAMPLE DUPLICATE: 982619

Parameter	Units	70164870031 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	4.1	4.0	4	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**QUALITY CONTROL DATA**

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

QC Batch:	199796	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70164870041, 70164870042, 70164870043, 70164870044, 70164870045, 70164870046, 70164870047, 70164870048, 70164870049, 70164870050, 70164870051, 70164870052, 70164870053, 70164870054, 70164870055, 70164870056, 70164870057, 70164870058, 70164870059, 70164870060		

METHOD BLANK:	982622	Matrix:	Water
Associated Lab Samples:	70164870041, 70164870042, 70164870043, 70164870044, 70164870045, 70164870046, 70164870047, 70164870048, 70164870049, 70164870050, 70164870051, 70164870052, 70164870053, 70164870054, 70164870055, 70164870056, 70164870057, 70164870058, 70164870059, 70164870060		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	03/11/21 16:12	

LABORATORY CONTROL SAMPLE:	982623					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	51.9	104	85-115	

MATRIX SPIKE SAMPLE:	982625						
Parameter	Units	70164870041 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	7.9	50	63.5	111	70-130	

MATRIX SPIKE SAMPLE:	982627						
Parameter	Units	70164870051 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	2.5	50	59.2	113	70-130	

SAMPLE DUPLICATE:	982624					
Parameter	Units	70164870041 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	7.9	7.9	1		

SAMPLE DUPLICATE:	982626					
Parameter	Units	70164870051 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	2.5	2.5	0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: EAST GREENBUSH CSD  
Pace Project No.: 70164870

QC Batch: 199797      Analysis Method: EPA 200.8  
QC Batch Method: EPA 200.8      Analysis Description: 200.8 MET No Prep Drinking Water  
Laboratory: Pace Analytical Services - Melville

Associated Lab Samples: 70164870061, 70164870062, 70164870063

METHOD BLANK: 982628      Matrix: Water  
Associated Lab Samples: 70164870061, 70164870062, 70164870063

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	03/11/21 16:40	

LABORATORY CONTROL SAMPLE: 982629

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	52.2	104	85-115	

MATRIX SPIKE SAMPLE: 982631

Parameter	Units	70164870061 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	2.0	50	61.6	119	70-130	

MATRIX SPIKE SAMPLE: 982633

Parameter	Units	70164872008 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	3.2	50	60.5	114	70-130	

SAMPLE DUPLICATE: 982630

Parameter	Units	70164870061 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	2.0	2.0	1	

SAMPLE DUPLICATE: 982632

Parameter	Units	70164872008 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	3.2	3.2	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALIFIERS

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: EAST GREENBUSH CSD

Pace Project No.: 70164870

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70164870001	GM-01-SF-P-02	EPA 200.8	199794		
70164870002	GM-01-SF-P-03	EPA 200.8	199794		
70164870003	GM-01-BF-P-04	EPA 200.8	199794		
70164870004	GM-01-BF-P-05	EPA 200.8	199794		
70164870005	GM-01-BF-P-06	EPA 200.8	199794		
70164870006	GM-01-SF-P-07	EPA 200.8	199794		
70164870007	GM-01-CF-P-09	EPA 200.8	199794		
70164870008	GM-01-CF-P-10	EPA 200.8	199794		
70164870009	GM-01-CF-P-11	EPA 200.8	199794		
70164870010	GM-01-CF-P-12	EPA 200.8	199794		
70164870011	GM-01-CF-P-13	EPA 200.8	199794		
70164870012	GM-01-CF-P-14	EPA 200.8	199794		
70164870013	GM-01-CF-P-15	EPA 200.8	199794		
70164870014	GM-01-CF-P-16	EPA 200.8	199794		
70164870015	GM-01-BF-P-17	EPA 200.8	199794		
70164870016	GM-01-CF-P-18	EPA 200.8	199794		
70164870017	GM-01-CF-P-19	EPA 200.8	199794		
70164870018	GM-01-CF-P-20	EPA 200.8	199794		
70164870019	GM-01-CF-P-21	EPA 200.8	199794		
70164870020	GM-01-CF-P-22	EPA 200.8	199794		
70164870021	GM-01-BF-P-23	EPA 200.8	199795		
70164870022	GM-01-CF-P-24	EPA 200.8	199795		
70164870023	GM-01-DW-P-26	EPA 200.8	199795		
70164870024	GM-01-CF-P-27	EPA 200.8	199795		
70164870025	GM-01-CF-P-28	EPA 200.8	199795		
70164870026	GM-01-DW-P-30	EPA 200.8	199795		
70164870027	GM-01-CF-P-31	EPA 200.8	199795		
70164870028	GM-01-CF-P-32	EPA 200.8	199795		
70164870029	GM-01-DW-P-34	EPA 200.8	199795		
70164870030	GM-01-CF-P-35	EPA 200.8	199795		
70164870031	GM-01-CF-P-36	EPA 200.8	199795		
70164870032	GM-01-DW-P-38	EPA 200.8	199795		
70164870033	GM-01-CF-P-39	EPA 200.8	199795		
70164870034	GM-01-SF-P-40	EPA 200.8	199795		
70164870035	GM-01-KF-P-41	EPA 200.8	199795		
70164870036	GM-01-KF-P-42	EPA 200.8	199795		
70164870037	GM-01-KF-P-43	EPA 200.8	199795		
70164870038	GM-01-BF-P-44	EPA 200.8	199795		
70164870039	GM-01-BF-P-47	EPA 200.8	199795		
70164870040	GM-01-BF-P-48	EPA 200.8	199795		
70164870041	GM-01-BF-P-49	EPA 200.8	199796		
70164870042	GM-01-BF-P-50	EPA 200.8	199796		
70164870043	GM-01-CF-P-51	EPA 200.8	199796		
70164870044	GM-01-SF-P-53	EPA 200.8	199796		
70164870045	GM-01-CF-P-54	EPA 200.8	199796		
70164870046	GM-01-CF-P-56	EPA 200.8	199796		
70164870047	GM-01-CF-P-58	EPA 200.8	199796		
70164870048	GM-01-CF-P-60	EPA 200.8	199796		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: EAST GREENBUSH CSD  
Pace Project No.: 70164870

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70164870049	GM-01-BF-P-62	EPA 200.8	199796		
70164870050	GM-01-CF-P-63	EPA 200.8	199796		
70164870051	GM-01-CF-P-65	EPA 200.8	199796		
70164870052	GM-01-CF-P-67	EPA 200.8	199796		
70164870053	GM-01-CF-P-69	EPA 200.8	199796		
70164870054	GM-01-CF-P-71	EPA 200.8	199796		
70164870055	GM-01-CF-P-73	EPA 200.8	199796		
70164870056	GM-01-CF-P-75	EPA 200.8	199796		
70164870057	GM-01-CF-P-77	EPA 200.8	199796		
70164870058	GM-01-CF-P-79	EPA 200.8	199796		
70164870059	GM-01-CF-P-81	EPA 200.8	199796		
70164870060	GM-01-CF-P-83	EPA 200.8	199796		
70164870061	GM-01-CF-P-85	EPA 200.8	199797		
70164870062	GM-01-CF-P-87	EPA 200.8	199797		
70164870063	GM-01-KF-P-89	EPA 200.8	199797		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



POTABLE WATER SAMPLING FOR LEAD CONCENTRATION SAMPLE COLLECTION FORM

Appendix D

CLIENT INFORMATION

Name: East Greenbush Central School District  
 Address: 29 Englewood Avenue, East Greenbush, NY 12061  
 Client Rep: Paul Bickel 518-207-2521

Date of Sampling: 3/5/2020  
 Samples Taken By: Sam Beardsley  
 District Staff: Geo

SCHOOL/PROJECT INFORMATION

BLDG NO./NAME: Green Meadow Elementary School  
 BLDG ADDRESS: 234 Shuurman Rd., Castleton, NY 12033  
 CONTACT NAME & NUMBERS: Paul Bickel 518-207-2521

WO#: 70164870



(1) Yr. Built	(2) Yr 1st Add:	(3) Yr 2nd Add:	(4) Yr 1st Mod:	(5) Yr. 2nd Mod:

SAMPLE DATA

Lab Sample #	BOCES Sample #	Location	Outlet Description	Outlet Information									
				Outlet Make & Model	Construct. Date	First Draw	Time of Collection (24hr)	30 Second Flush Draw	Time of Collection (24hr)	Service Connection Draw	Time of Collection (24hr)	Water Main Draw	Time of Collection (24hr)
1	GM-01-DW-P-01	Fountain by Coaches Office	Water Fountain			X							
2	GM-01-SF-P-02	Girl's Locker Room	Sink Faucet			X	0533						
3	GM-01-SF-P-03	Boy's Locker Room	Sink Faucet			X	0534						
4	GM-01-BF-P-04	Men's Room by Main Office	Bathroom Faucet			X	0534						
5	GM-01-BF-P-05	Women's Room by Main Office	Bathroom Faucet			X	0535						
6	GM-01-BF-P-06	Nurses Office	Bathroom Faucet			X	0536						
7	GM-01-SF-P-07	Nurses Office	Sink Faucet			X	0536						
8	GM-01-DW-P-08	Fountain by Nurses Office	Water Fountain			X							
9	GM-01-CF-P-09	10 - <del>Female</del> Bathroom	Classroom Sink Faucet			X	0537						
10	GM-01-CF-P-10	10	Classroom Sink Faucet			X	0537						
11	GM-01-CF-P-11	11 - <del>Female</del> Bathroom	Classroom Sink Faucet			X	0540						
12	GM-01-CF-P-12	11	Classroom Sink Faucet			X	0540						
13	GM-01-CF-P-13	8 - <del>Female</del> Bathroom	Classroom Sink Faucet			X	0541						
14	GM-01-CF-P-14	8	Classroom Sink Faucet			X	0541						
15	GM-01-CF-P-15	9 - <del>Female</del> Bathroom	Classroom Sink Faucet			X	0541						
16	GM-01-CF-P-16	9	Classroom Sink Faucet			X	0543						
17	GM-01-BF-P-17	6	Bathroom Faucet			X	0545						
18	GM-01-CF-P-18	6	Classroom Sink Faucet			X	0545						
19	GM-01-CF-P-19	7 - <del>Female</del> Bathroom	Classroom Sink Faucet			X	0546						
20	GM-01-CF-P-20	7	Classroom Sink Faucet			X	0546						
21	GM-01-CF-P-21	5 - Left	Classroom Sink Faucet			X	0548						
22	GM-01-CF-P-22	5 - Right	Classroom Sink Faucet			X	0548						
23	GM-01-BF-P-23	5	Bathroom Faucet			X	0548						
24	GM-01-CF-P-24	3 - <del>Female</del> Bathroom	Classroom Sink Faucet			X	0550						
25	GM-01-DW-P-25	3	Water Fountain			X							

All containers are pre-cleaned/pre-certified 250ml plastic bottles and will be preserved w/HNO3@ pH by lab

CHAIN OF CUSTODY

Relinquished By: *[Signature]* Received By: *[Signature]* Pace  
 Time: 12:00 Date: 3/5/20  
 12:00 3/5/20  
 12:00 3/5/20

INSTRUCTIONS TO THE LABORATORY - Analyze all samples for lead

Lab: Pace Analytical Services  
 1570 Helderberg Ave.  
 Rotterdam, NY 12306  
 Contact: Matthew Broker 518-573-8385 matthew.broker@pacelabs.com  
 Comments: Provide Laboratory Data Report (LDR) and Chain of Custody

CLIENT INFORMATION

Name: East Greenbush Central School District  
 Address: 29 Englewood Avenue, East Greenbush, NY 12061  
 Client Rep: Paul Bickel 518-207-2521

Date of Sampling: 3/5/2020  
 Samples Taken By: Sam Beardsley  
 District Staff: George Wyant

SCHOOL/PROJECT INFORMATION

BLDG NO./NAME: Green Meadow Elementary School  
 BLDG ADDRESS: 234 Shuurman Rd., Castleton, NY 12033  
 CONTACT NAME & NUMBERS: Paul Bickel 518-207-2521

(1) Yr. Built	(2) Yr 1st Add:	(3) Yr 2nd Add:	(4) Yr 1st Mod:	(5) Yr. 2nd Mod:

SAMPLE DATA

Sample Description ID (ID must match container label)				Outlet Information									
Lab Sample #	BOCES Sample #	Location	Outlet Description	Outlet Make & Model	Construct. Date	First Draw	Time of Collection (24hr)	30 Second Flush Draw	Time of Collection (24hr)	Service Connection Draw	Time of Collection (24hr)	Water Main Draw	Time of Collection (24hr)
26	GM-01-DW-P-26	3	Bottle Filler			X	0530						
27	GM-01-CF-P-27	3	Classroom Sink Faucet			X	0550						
28	GM-01-CF-P-28	4 - Outside Bathroom	Classroom Sink Faucet			X	0553						
29	GM-01-DW-P-29	4	Water Fountain			X							
30	GM-01-DW-P-30	4	Bottle Filler			X	0553						
31	GM-01-CF-P-31	4	Classroom Sink Faucet			X	0553						
32	GM-01-CF-P-32	1 - Outside Bathroom	Classroom Sink Faucet			X	0554						
33	GM-01-DW-P-33	1	Water Fountain			X							
34	GM-01-DW-P-34	1	Bottle Filler			X	0554						
35	GM-01-CF-P-35	1	Classroom Sink Faucet			X	0554						
36	GM-01-CF-P-36	2 - Outside Bathroom	Classroom Sink Faucet			X	0556						
37	GM-01-DW-P-37	2	Water Fountain			X							
38	GM-01-DW-P-38	2	Bottle Filler			X	0556						
39	GM-01-CF-P-39	2	Classroom Sink Faucet			X	0556						
40	GM-01-SF-P-40	111 - Faculty Room	Sink Faucet			X	0600						
41	GM-01-KF-P-41	Kitchen - Food Prep	Kitchen Faucet			X	0602						
42	GM-01-KF-P-42	Kitchen - Hand Washing Center	Kitchen Faucet			X	0602						
43	GM-01-KF-P-43	Kitchen - Hand Washing Back	Kitchen Faucet			X	0602						
44	GM-01-BF-P-44	Kitchen - Bathroom	Bathroom Faucet			X	0602						
45	GM-01-DW-P-45	Fountain by Serving Line	Water Fountain			X							
46	GM-01-DW-P-46	Cafeteria	Water Fountain			X							
47	GM-01-BF-P-47	Men's Room - L	Bathroom Faucet			X	0605						
48	GM-01-BF-P-48	Men's Room - R	Bathroom Faucet			X	0605						
49	GM-01-BF-P-49	Women's Room - L	Bathroom Faucet			X	0606						
50	GM-01-BF-P-50	Women's Room - R	Bathroom Faucet			X	0606						

All containers are pre-cleaned/pre-certified 250ml plastic bottles and will be preserved w/HNO3@ pH by lab

CHAIN OF CUSTODY

Relinquished By: *[Signature]* Received By: *[Signature]* Time: 10:19 Date: 3/5/20  
 12:03 3/5/20

INSTRUCTIONS TO THE LABORATORY - Analyze all samples for lead

Lab: Pace Analytical Services  
 1570 Helderberg Ave.  
 Rotterdam, NY 12306  
 Contact: Matthew Broker 518-573-8385 matthew.broker@pacelabs.com  
 Comments: Provide Laboratory Data Report (LDR) and Chain of Custody

CLIENT INFORMATION

Name: East Greenbush Central School District  
 Address: 29 Englewood Avenue, East Greenbush, NY 12061  
 Client Rep: Paul Bickel 518-207-2521

Date of Sampling: 3/5/2020  
 Samples Taken By: Sam Beardsley  
 District Staff: George Wyant

SCHOOL/PROJECT INFORMATION

BLDG NO./NAME: Green Meadow Elementary School  
 BLDG ADDRESS: 234 Shuurman Rd., Castleton, NY 12033  
 CONTACT NAME & NUMBERS: Paul Bickel 518-207-2521

(1) Yr. Built	(2) Yr 1st Add:	(3) Yr 2nd Add:	(4) Yr 1st Mod:	(5) Yr. 2nd Mod:

SAMPLE DATA

Lab Sample #	BOCES Sample #	Location	Outlet Description	Outlet Information										
				Outlet Make & Model	Construct. Date	First Draw	Time of Collection (24hr)	30 Second Flush Draw	Time of Collection (24hr)	Service Connection Draw	Time of Collection (24hr)	Water Main Draw	Time of Collection (24hr)	
51	GM-01-CF-P-51	19 - Food Lab	Classroom Sink Faucet			X	607							
52	GM-01-DW-P-52	Fountain by 16	Water Fountain			X								
53	GM-01-SF-P-53	16 - Library Office	Sink Faucet			X	0609							
54	GM-01-CF-P-54	22	Classroom Sink Faucet			X	0608							
55	GM-01-DW-P-55	22	Water Fountain			X								
56	GM-01-CF-P-56	23	Classroom Sink Faucet			X	0609							
57	GM-01-DW-P-57	23	Water Fountain			X								
58	GM-01-CF-P-58	24	Classroom Sink Faucet			X	0610							
59	GM-01-DW-P-59	24	Water Fountain			X								
60	GM-01-CF-P-60	25	Classroom Sink Faucet			X	0611							
61	GM-01-DW-P-61	25	Water Fountain			X								
62	GM-01-BF-P-62	Faculty Bathroom	Bathroom Faucet			X	0612							
63	GM-01-CF-P-63	26	Classroom Sink Faucet			X	0613							
64	GM-01-DW-P-64	26	Water Fountain			X								
65	GM-01-CF-P-65	28	Classroom Sink Faucet			X	613							
66	GM-01-DW-P-66	28	Water Fountain			X								
67	GM-01-CF-P-67	29	Classroom Sink Faucet			X	614							
68	GM-01-DW-P-68	29	Water Fountain			X								
69	GM-01-CF-P-69	30	Classroom Sink Faucet			X	615							
70	GM-01-DW-P-70	30	Water Fountain			X								
71	GM-01-CF-P-71	31	Classroom Sink Faucet			X	0615							
72	GM-01-DW-P-72	31	Water Fountain			X								
73	GM-01-CF-P-73	32	Classroom Sink Faucet			X	0616							
74	GM-01-DW-P-74	32	Water Fountain			X								
75	GM-01-CF-P-75	33	Classroom Sink Faucet			X	0616							

All containers are pre-cleaned/pre-certified 250ml plastic bottles and will be preserved w/HNO3@ pH by lab

CHAIN OF CUSTODY

Relinquished By: 	Received By: 	Time: 12:03	Date: 3/5/21
		12:03	3/5/21

INSTRUCTIONS TO THE LABORATORY - Analyze all samples for lead

Lab: Pace Analytical Services  
 1570 Helderberg Ave.  
 Rotterdam, NY 12306  
 Contact: Matthew Broker 518-573-8385 matthew.broker@pacelabs.com  
 Comments: Provide Laboratory Data Report (LDR) and Chain of Custody



CLIENT INFORMATION

Name: East Greenbush Central School District
Address: 29 Englewood Avenue, East Greenbush, NY 12061
Client Rep: Paul Bickel 518-207-2521

Date of Sampling:	3/5/2020
Samples Taken By:	Sam Beardsley
District Staff:	George Wyant

SCHOOL/PROJECT INFORMATION

BLDG NO./NAME: Green Meadow Elementary School
BLDG ADDRESS: 234 Shuurman Rd., Castleton, NY 12033
CONTACT NAME & NUMBERS: Paul Bickel 518-207-2521

(1) Yr. Built:	(2) Yr 1st Add:	(3) Yr 2nd Add:	(4) Yr 1st Mod:	(5) Yr. 2nd Mod:

SAMPLE DATA

Sample Description ID (ID must match container label)		Outlet Information											
Lab Sample #	BOCES Sample #	Location	Outlet Description	Outlet Make & Model	Construct. Date	First Draw	Time of Collection (24hr)	30 Second Flush Draw	Time of Collection (24hr)	Service Connection Draw	Time of Collection (24hr)	Water Main Draw	Time of Collection (24hr)
76	GM-01-DW-P-76	33	Water Fountain			X							
77	GM-01-CF-P-77	34	Classroom Sink Faucet			X	6:15						
78	GM-01-DW-P-78	34	Water Fountain			X							
79	GM-01-CF-P-79	35	Classroom Sink Faucet			X	6:15 6:18						
80	GM-01-DW-P-80	35	Water Fountain			X							
81	GM-01-CF-P-81	36	Classroom Sink Faucet			X	6:20						
82	GM-01-DW-P-82	36	Water Fountain			X							
83	GM-01-CF-P-83	37	Classroom Sink Faucet			X	6:21						
84	GM-01-DW-P-84	37	Water Fountain			X							
85	GM-01-CF-P-85	38	Classroom Sink Faucet			X	6:21						
86	GM-01-DW-P-86	38	Water Fountain			X							
87	GM-01-CF-P-87	39	Classroom Sink Faucet			X	6:22						
88	GM-01-DW-P-88	39	Water Fountain			X							
89	GM-01-KF-P-89	Kitchen - Steam Table	Kitchen Faucet			X	0602						

All containers are pre-cleaned/pre-certified 250ml plastic bottles and will be preserved w/HNO3@ pH by lab

CHAIN OF CUSTODY

Relinquished By: <i>[Signature]</i>	Received By: <i>[Signature]</i>	Time: 11:03	Date: 3/5/20
<i>[Signature]</i>	<i>[Signature]</i>	12:00	3/5/20
	<i>[Signature]</i>	11:03	3/5/20

INSTRUCTIONS TO THE LABORATORY - Analyze all samples for lead

Lab: Pace Analytical Services 1570 Helderberg Ave. Rotterdam, NY 12306	
Contact: Matthew Broker 518-573-8385 matthew.broker@pacelabs.com	
Comments: Provide Laboratory Data Report (LDR) and Chain of Custody	



Sample Condition Upon Receipt

WO#: 70164870

Client Name: QUESTAR

Project PM: NML Due Date: 03/22/21 CLIENT: QUESTAR

Courier:  Fed Ex  UPS  USPS  Client  Commercial  Pace  Other

Tracking #: \_\_\_\_\_ Custody Seal on Cooler/Box Present:  Yes  No

Packing Material:  Bubble Wrap  Bubble Bags  Ziploc  None  Other

Thermometer Used: TH091 Correction Factor: +0.0 Cooler Temperature [°C]: 17.7 Cooler Temperature Corrected [°C]: 17.7

Temperature Blank Present:  Yes  No Type of Ice: Wet Blue (None)  Samples on ice, cooling process has begun Date/Time 5035A kits placed in freezer

Temp should be above freezing to 6.0°C USDA Regulated Soil (  N/A, water sample)

Date and Initials of person examining contents: KW 3/5/21

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)?  Yes  No Did samples originate from a foreign source including Hawaii and Puerto Rico?  Yes  No

If Yes to either question, fill out a Regulated Soil Checklist (F-LI-C-010) and include with SCUR/COC paperwork.

		COMMENTS:
Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume: (Triple volume provided for)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12.
-Includes date/time/ID, Matrix: <u>SLWT OIL</u>		
All containers needing preservation have been checked?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <input type="checkbox"/> HNO <sub>3</sub> <input type="checkbox"/> H <sub>2</sub> SO <sub>4</sub> <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
pH paper Lot # <u>HCO25486</u>		Sample #
All containers needing preservation are found to be in compliance with method recommendation? (HNO <sub>3</sub> , H <sub>2</sub> SO <sub>4</sub> , HCl, NaOH>9 Sulfide, NAOH>12 Cyanide)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Initial when completed: _____ Lot # of added preservative: _____ Date/Time preservative added: _____
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water). Per Method, VOA pH is checked after analysis		
Samples checked for dechlorination:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	14. Positive for Res. Chlorine? Y N
KI starch test strips Lot #		
Residual chlorine strips Lot #		
SM 4500 CN samples checked for sulfide?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	15.
Lead Acetate Strips Lot #		
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	16.
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	17.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if applicable): _____		

Client Notification/ Resolution: \_\_\_\_\_ Field Data Required? Y / N Date/Time: \_\_\_\_\_

Person Contacted: \_\_\_\_\_ Comments/ Resolution: \_\_\_\_\_

\* PM (Project Manager) review is documented electronically in LIMS.